

Appln No. 10/091,267  
Amdt Dated February 13, 2006  
Reply to Office Action of November 15, 2005

App 1451

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims

Claim 1 (cancelled)

Claim 2 (cancelled)

Claim 3 (currently amended) The device of claim ~~1~~ 13 further comprising means for transmitting the ordered sequence of recommended reassignments.

Claim 4 (cancelled)

Claim 5 (cancelled)

Claim 6 (cancelled)

Claim 7 (currently amended) The method of claim ~~5~~ 14 wherein the number of reassignments in the ordered sequence of recommended reassignments is less than a predetermined number.

App'n No. 10/091,267  
Amdt Dated February 13, 2006  
Reply to Office Action of November 15, 2005

App 1451

Claims 8-9 (cancelled)

Claim 10 (currently amended) A method of reassigning communications paths in a communications network comprising the steps of:

- (a) analyzing a representation of a set of out-of-kilter communications paths and a representation of a set of in-kilter communications paths to generate an analysis;
- (b) generating a set of permitted changes, based upon the analysis, to both the representation of the set of out-of-kilter communications paths and the representation of the set of in-kilter communications paths; and
- (c) generating, in response to the set of permitted changes, an ordered sequence of recommended reassignments of communications paths and associating at least one out-of-kilter communications path associated with the ordered sequence of recommended reassignments with a new in-kilter communications path. ~~The method of claim 5~~ wherein communications paths which are originally in-kilter are reassigned only if such reassignments make it feasible to reassign an out-of-kilter communications path.

Claim 11 (currently amended) A method of reassigning communications paths in a communications network comprising the steps of:

Appin No. 10/091,267  
Amdt Dated February 13, 2006  
Reply to Office Action of November 15, 2005

App 1451

- (a) analyzing a representation of a set of out-of-kilter communications paths and a representation of a set of in-kilter communications paths to generate an analysis;
- (b) generating a set of permitted changes, based upon the analysis, to both the representation of the set of out-of-kilter communications paths and the representation of the set of in-kilter communications paths; and
- (c) ~~The method of claim 5 further comprising the step of~~ generating multiple backward subsequences, each backward subsequence having an out of-kilter communications path as its first reassignment; and
- (d) generating, in response to the set of backward subsequences, an ordered sequence of recommended reassignments of communications paths wherein each out-of-kilter communications path in a backward subsequence is associated with a new in-kilter communications path in the ordered sequence of recommended reassignments.

Claim 12 (original)      The method of claim 11 wherein each backward subsequence found is translated to a forward subsequence, and all forward subsequences are combined to form a single ordered sequence of recommended reassignments.

Claim 13 (new)      A device for reassigning communications paths in a communications network comprising:

- (a) means for determining subsequences of communications paths that will be reassigned onto new routes wherein each ordered subsequence comprising in-kilter communications paths and an out-of-kilter communications path;

AppIn No. 10/091,267  
Amdt Dated February 13, 2006  
Reply to Office Action of November 15, 2005

App 1451

- (b) means for determining an ordered sequence of reassignments of the communications paths that will be reassigned in an ordered subsequences; and
- (c) means for executing the reassignments in the ordered sequence of reassignments sequentially according to the order in the sequence wherein after execution all reassigned communications paths are in-kilter, each reassigned communications path is reassigned with its entire load onto a single new route, communications paths which are originally in-kilter are reassigned only if such reassignments make it feasible to reassign an out-of-kilter communications path, and none of the link capacity constraints is violated after executing each of the reassignments.

Claim 14 (new) A method of reassigning communications paths in a communications network comprising the steps of:

- (a) determining ordered subsequences of communications paths that will be reassigned onto new routes wherein each ordered subsequence comprising in-kilter communications paths and an out-of-kilter communications path;
- (b) determining an ordered sequence of reassignments of the communications paths in all ordered subsequences; and
- (c) executing the reassignments in the ordered sequence of reassignments sequentially according to the order in the sequence wherein after execution all reassigned communications paths are in-kilter, each reassigned communications path is reassigned with its entire load onto a single new route, communications paths which are originally in-kilter are reassigned only if such reassignments make it feasible to reassign an out-of-kilter communications path, and none of the link capacity constraints is violated after executing each of the reassignments.

Appln No. 10/091,267  
Amtd Dated February 13, 2006  
Reply to Office Action of November 15, 2005

App 1451

Claim 15 (new) The method of claim 14 further comprising the step of generating multiple backward subsequences, each backward subsequence having an out of-kilter communications path as its first reassignment.

Claim 16 (new) The method of claim 15 wherein each backward subsequence found is translated to a forward subsequence, and all forward subsequences are combined to form a single ordered sequence of recommended reassignments.